



A GOOD  
PRODUCT  
WITH  
AFFORDABLE  
PRICE CAN  
LAST FOREVER



SCAN FOR  
SHADE CARD



# Why to choose

## SS Bond

21 Years of Excellence

Affordable for Everyone

Made from Virgin Material

Aluminium Surface 3003 Alloy

50+ Quality Test

90° Degree Bendable

800000 mts<sup>2</sup> of ACP sold every year




### MADE TO APPEAR MORE STYLISH

**SS BOND** Aluminium Composite Panels by **Sherabond** redefine modern design with style and strength. Available in diverse sizes, styles, and finishes, they combine aluminium sheets with a non-aluminium core for lasting durability and elegance.

### COMPOSITION PANEL STRUCTURE

- SERVICE COATING
- ALUMINIUM SKIN (BOTTOM)
- ADHESIVE FILM
- POLYETHYLENE CORE
- ADHESIVE FILM
- ALUMINIUM SKIN (TOP)
- PRIMER
- COLOUR COATING
- PROTECTIVE FILM



### FEATURES & ADVANTAGES




# Solid

SOLID SERIES



SBP 521 Pure White



SBP 522 Off White



SBP 523 Red



SBP 539 Orange



SBP 528 Yellow



SBP 512 Traffic Yellow




SBP 525 Sea Blue



SBP 524 Hpcl Blue



SBP 527 Emerald Green



SBP 530 Pearl Black



SBP 535 Choco Brown



SBP 538 Deep Grey

# Glossy


## GLOSSY SERIES



SBP 531 Glossy White



SBP 516 Glossy Red



SBP 532 Glossy Black

# Metallic

## METALLIC SERIES



SBP 505 Black Silver




SBP 501 Flash Silver




SBP 503 Champaign Gold

# ATM

## SS BOND ATM SERIES



SBP 731 Glossy White



SBP 721 Pure White



SBP 705 Black Silver



SBP 701 Flash Silver

# Woody

WOODY SERIES



SBW 951 Novecento Pine



SBW 934 Golden Teak



SBW 953 Royal Teak

# Mirror

MIRROR SERIES




SBMR 563 Mirror Silver




SBMR 564 Mirror Gold

DESIGN IS A PLAN FOR ARRANGING ELEMENTS IS SUCH A WAY AS BEST TO ACCOMPLISH A PARTICULAR PURPOSE  
- CHARLES EAMES

**Standard Size:**



**Available Thickness:**



**Available on Request**

- Length up to 20 Feet
- Width up to 5 Feet

## Panel Options

Width	1220mm
Length	upon request
Panels thickness	3mm + (Special thickness available on request)
Skin thickness	0.15mm & ATM
Application	For Exterior and Interior

## Panel Dimensions

Standard Sizes	1220 x 3660
	1220 x 3050
	1220 x 2440
	1220 x requested

## RECOMMENDED FABRICATION AND MAINTENANCE NOTES

1. Aluminium / GI section should be used of 2 inch x 2 inch
2. Ideal panel size should be used of 2 ft x 2 ft
3. It is recommended to clean the panel minimum two times in a year for better performance of ACP
4. The cleaning agent PH should be 8-10
5. Panel cleaning done below 30 degree temperature
6. Router blade should be used 12mm

Disclaimers : Shades may vary from batch to batch

(Please match the batch before installation, please ask for material samples as printed/pasted material are only for reference.)